

## WEST Search History

DATE: Tuesday, August 07, 2007

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L27	l24 not L26	246
<input type="checkbox"/>	L26	octanol near4 partition	2219
<input type="checkbox"/>	L25	L24 and l7.ab.	4
<input type="checkbox"/>	L24	L23 and @pd<20020702	286
<input type="checkbox"/>	L23	L22 and (intranasal or buccal)	1272
<input type="checkbox"/>	L22	L21 and (aerosol or nebuliz\$)	5215
<input type="checkbox"/>	L21	l7 and (composition or (medicin\$ product) or pharmaceutical)	41215
<input type="checkbox"/>	L20	l17 and alcohol	1
<input type="checkbox"/>	L19	l17 and (octyl alcohol)	0
<input type="checkbox"/>	L18	l17 and octanol	0
<input type="checkbox"/>	L17	wo-200128555-\$.did.	1
<input type="checkbox"/>	L16	wo-2001028555-\$.did.	0
	<i>DB=PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L15	l14 and @pd<20020702	36
<input type="checkbox"/>	L14	L13 and ((cystic fibrosis) or ((obstruction or blockage) near5 (bronch\$ or digest\$) ) )	48
<input type="checkbox"/>	L13	L12 and @pd<20030702	419
<input type="checkbox"/>	L12	L11 and (intranasal or buccal)	1261
<input type="checkbox"/>	L11	L10 and (aerosol or nebuliz\$)	3418
<input type="checkbox"/>	L10	l7 and (medicin\$ or pharmaceutical)	13862
<input type="checkbox"/>	L9	L8 and (@pd<20030702 or @ad<20030702)	27
<input type="checkbox"/>	L8	L7 and L6	46
<input type="checkbox"/>	L7	hexanol or heptanol or octanol or nonanol or cyclohexanol or cycloheptanol or cyclooctanol or cyclononanol	49005
<input type="checkbox"/>	L6	(cftr chloride channel) or (cystic fibrosis transmembrane conductance regulator)	2071
<input type="checkbox"/>	L5	L4 and octanol	3
<input type="checkbox"/>	L4	L3 and (@pd<20030702 or @ad<20030702)	60
<input type="checkbox"/>	L3	L2 and L1	83
<input type="checkbox"/>	L2	alcohol or alkanol	618835
<input type="checkbox"/>	L1	cftr chloride channel	180

10/562085

=> d his

(FILE 'HOME' ENTERED AT 10:42:45 ON 07 AUG 2007)

FILE 'REGISTRY' ENTERED AT 10:42:56 ON 07 AUG 2007

	E OCTANOL
	E OCTANOL/CN
L1	2 S E3
	E HEXANOL/CN
L2	3 S E3
	E HEPTANOL/CN
L3	1 S E3
	E NONANOL/CN
L4	2 S E3
	E DECANOL
	E DECANOL/CN
L5	3 S E3
	E CYCLOHEXANOL/CN
L6	1 S E3
	E 2-HEXANOL/CN
L7	1 S E3
	E 2-HEPTANOL
	E 2-HEPTANOL/CN
L8	1 S E3
	E 2-OCTANOL/CN
L9	1 S E3
	E 2-NONANOL/CN
L10	1 S E3
	E 2-DECANOL/CN
L11	1 S E3

FILE 'CAPLUS' ENTERED AT 10:58:43 ON 07 AUG 2007

L12	48679 S L1-L11
L13	8 S L12 AND (CYSTIC FIBROSIS)
	SAVE TEMP ALL A10562085/L

FILE 'STNGUIDE' ENTERED AT 11:09:30 ON 07 AUG 2007

FILE 'CAPLUS' ENTERED AT 11:17:51 ON 07 AUG 2007

L14	6922 S L12 AND (PHARMACEUTICAL OR COMPOSITION)
L15	1 S L14 AND (INTRANASAL OR BUCCAL) AND (AEROSOL OR NEBULIZ?)

8/7/2007

10/562085

L13 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:15566 CAPLUS <<LOGINID::20070807>>

DOCUMENT NUMBER: 142:86707

TITLE: Use of n-alkanols as CFTR channel activators, and therapeutic use thereof

INVENTOR(S): Verrier, Bernard; Marcet, Brice; Delmas, Patrick

PATENT ASSIGNEE(S): Centre National de la Recherche Scientifique CNRS, Fr.

SOURCE: Fr. Demande, 39 pp.

CODEN: FRXXBL

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2856926	A1	20050107	FR 2003-8064	20030702
FR 2856926	B1	20050930		
CA 2530882	A1	20050210	CA 2004-2530882	20040629
WO 2005011659	A1	20050210	WO 2004-FR1662	20040629
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1638542	A1	20060329	EP 2004-767506	20040629
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
PRIORITY APPLN. INFO.:			FR 2003-8064	A 20030702
			WO 2004-FR1662	W 20040629

AB The invention discloses the use of n-alkanols as activators of the CFTR (cystic fibrosis transmembrane conductance regulator) channel, as well as application to the treatment of pathologies associated with dysfunction of this channel, e.g. cystic fibrosis

IT 111-87-5, 1-Octanol, biological studies

RL: DMA (Drug mechanism of action); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(n-alkanols as CFTR channel activators, and therapeutic use)

RN 111-87-5 CAPLUS

CN 1-Octanol (CA INDEX NAME)

HO- (CH<sub>2</sub>)<sub>7</sub>-Me

IT 111-27-3, 1-Hexanol, biological studies 112-30-1,

1-Decanol 123-96-6, 2-Octanol

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(n-alkanols as CFTR channel activators, and therapeutic use)

8/7/2007

10/562085

RN 111-27-3 CAPLUS  
CN 1-Hexanol (CA INDEX NAME)

HO (CH<sub>2</sub>)<sub>5</sub> Me

RN 112-30-1 CAPLUS  
CN 1-Decanol (CA INDEX NAME)

HO (CH<sub>2</sub>)<sub>9</sub> Me

RN 123-96-6 CAPLUS  
CN 2-Octanol (CA INDEX NAME)

OH  
|  
Me-CH-(CH<sub>2</sub>)<sub>5</sub>-Me

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

AB The invention discloses the use of n-alkanols as activators of the CFTR (cystic fibrosis transmembrane conductance regulator) channel, as well as application to the treatment of pathologies associated with dysfunction of this channel, e.g. cystic fibrosis

ST alkanol CFTR channel activator cystic fibrosis treatment

IT CFTR (cystic fibrosis transmembrane conductance regulator)  
RL: BSU (Biological study, unclassified); BIOL (Biological study) (508-dephenylalanine-; n-alkanols as CFTR channel activators, and therapeutic use)

IT Cystic fibrosis  
Human  
Structure-activity relationship  
(n-alkanols as CFTR channel activators, and therapeutic use)

IT CFTR (cystic fibrosis transmembrane conductance regulator)  
RL: BSU (Biological study, unclassified); BIOL (Biological study) (n-alkanols as CFTR channel activators, and therapeutic use)

IT 111-87-5, 1-Octanol, biological studies  
RL: DMA (Drug mechanism of action); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (n-alkanols as CFTR channel activators, and therapeutic use)

IT 111-27-3, 1-Hexanol, biological studies 111-70-6, 1-Heptanol  
112-30-1, 1-Decanol 123-96-6, 2-Octanol  
RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (n-alkanols as CFTR channel activators, and therapeutic use)

8/7/2007

10/562085

L13 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 2004:346154 CAPLUS <<LOGINID::20070807>>  
DOCUMENT NUMBER: 140:399358  
TITLE: General anesthetic octanol and related compounds  
activate wild-type and delf508 cystic  
fibrosis chloride channels  
AUTHOR(S): Marcet, Brice; Becq, Frederic; Norez, Caroline;  
Delmas, Patrick; Verrier, Bernard  
CORPORATE SOURCE: Institut de Neurosciences Physiologiques et  
Cognitives, CNRS, Marseille, 13402, Fr.  
SOURCE: British Journal of Pharmacology (2004), 141(6),  
905-914  
CODEN: BJPCBM; ISSN: 0007-1188  
PUBLISHER: Nature Publishing Group  
DOCUMENT TYPE: Journal  
LANGUAGE: English

AB Cystic fibrosis transmembrane conductance regulator  
(CFTR) Cl<sup>-</sup> channel is defective during cystic fibrosis  
(CF). Activators of the CFTR Cl<sup>-</sup> channel may be useful for therapy of CF.  
Here, the authors demonstrate that a range of general anesthetics like  
normal-alkanols (n-alkanols) and related compds. can stimulate the Cl<sup>-</sup>  
channel activity of wild-type CFTR and delf508-CFTR mutant. The effects  
of n-alkanols like octanol on CFTR activity were measured by iodide (125I)  
efflux and patch-clamp techniques on three distinct cellular models: (1)  
CFTR-expressing Chinese hamster ovary cells, (2) human airway Calu-3  
epithelial cells and (3) human airway JME/CF15 epithelial cells which  
express the delf508-CFTR mutant. The data show for the first time that  
n-alkanols activate both wild-type CFTR and delf508-CFTR mutant. Octanol  
stimulated 125I efflux in a dose-dependent manner in CFTR-expressing cells  
(wild-type and delf508) but not in cell lines lacking CFTR. 125I efflux  
and Cl<sup>-</sup> currents induced by octanol were blocked by glibenclamide but  
insensitive to 4,4'-diisothiocyanatostilbene-2,2'-disulfonic acid, as  
expected for a CFTR Cl<sup>-</sup> current. CFTR activation by octanol was neither  
due to cell-to-cell uncoupling properties of octanol nor to an  
intracellular cAMP increase. CFTR activation by octanol requires  
phosphorylation by protein kinase-A (PKA) since it was prevented by H-89,  
a PKA inhibitor. N-Alkanols chain length was an important determinant for  
channel activation, with rank order of potencies: 1-heptanol <1-octanol  
<2-octanol <1-decanol. The findings may be of valuable interest for  
developing novel therapeutic strategies for CF.


IT 112-30-1, 1-Decanol 123-96-6, 2-Octanol  
29063-28-3, Octanol, biological studies  
RL: PAC (Pharmacological activity); BIOL (Biological study)  
(general anesthetic octanol and related compds. activate wild-type and  
delf508 cystic fibrosis chloride channels)  
RN 112-30-1 CAPLUS  
CN 1-Decanol (CA INDEX NAME)

HO (CH<sub>2</sub>)<sub>9</sub>-Me

RN 123-96-6 CAPLUS  
CN 2-Octanol (CA INDEX NAME)

8/7/2007

10/562085



RN 29063-28-3 CAPLUS  
CN Octanol (CA INDEX NAME)

Me (CH<sub>2</sub>)<sub>6</sub> Me

D1-OH

REFERENCE COUNT: 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

- TI General anesthetic octanol and related compounds activate wild-type and  
delf508 cystic fibrosis chloride channels
- AB Cystic fibrosis transmembrane conductance regulator  
(CFTR) Cl- channel is defective during cystic fibrosis  
(CF). Activators of the CFTR Cl- channel may be useful for therapy of CF.  
Here, the authors demonstrate that a range of general anesthetics like  
normal-alkanols (n-alkanols) and related compds. can stimulate the Cl-  
channel activity of wild-type CFTR and delf508-CFTR mutant. The effects  
of n-alkanols like octanol on CFTR activity were measured by iodide (125I)  
efflux and patch-clamp techniques on three distinct cellular models: (1)  
CFTR-expressing Chinese hamster ovary cells, (2) human airway Calu-3  
epithelial cells and (3) human airway JME/CF15 epithelial cells which  
express the delf508-CFTR mutant. The data show for the first time that  
n-alkanols activate both wild-type CFTR and delf508-CFTR mutant. Octanol  
stimulated 125I efflux in a dose-dependent manner in CFTR-expressing cells  
(wild-type and delf508) but not in cell lines lacking CFTR. 125I efflux  
and Cl- currents induced by octanol were blocked by glibenclamide but  
insensitive to 4,4'-diisothiocyanatostilbene-2,2'-disulfonic acid, as  
expected for a CFTR Cl- current. CFTR activation by octanol was neither  
due to cell-to-cell uncoupling properties of octanol nor to an  
intracellular cAMP increase. CFTR activation by octanol requires  
phosphorylation by protein kinase-A (PKA) since it was prevented by H-89,  
a PKA inhibitor. N-Alkanols chain length was an important determinant for  
channel activation, with rank order of potencies: 1-heptanol <1-octanol  
<2-octanol <1-decanol. The findings may be of valuable interest for  
developing novel therapeutic strategies for CF.
- ST octanol alc cystic fibrosis chloride channel
- IT Electric current  
(biol.; general anesthetic octanol and related compds. activate  
wild-type and delf508 cystic fibrosis chloride  
channels)
- IT Biological transport  
(chloride; general anesthetic octanol and related compds. activate  
wild-type and delf508 cystic fibrosis chloride  
channels)
- IT Cystic fibrosis  
Human  
Hydrophobicity  
Structure-activity relationship

8/7/2007

10/562085

- (general anesthetic octanol and related compds. activate wild-type and delF508 cystic fibrosis chloride channels)
- IT CFTR (cystic fibrosis transmembrane conductance regulator)  
Chloride channel  
RL: BSU (Biological study, unclassified); BIOL (Biological study)  
(general anesthetic octanol and related compds. activate wild-type and delF508 cystic fibrosis chloride channels)
- IT Alcohols, biological studies  
RL: PAC (Pharmacological activity); BIOL (Biological study)  
(general anesthetic octanol and related compds. activate wild-type and delF508 cystic fibrosis chloride channels)
- IT Anesthetics  
(general; general anesthetic octanol and related compds. activate wild-type and delF508 cystic fibrosis chloride channels)
- IT 56-65-5, 5'-ATP, biological studies 142008-29-5, Protein kinase A  
RL: BSU (Biological study, unclassified); BIOL (Biological study)  
(general anesthetic octanol and related compds. activate wild-type and delF508 cystic fibrosis chloride channels)
- IT 111-70-6, 1-Heptanol 112-30-1, 1-Decanol 123-96-6, 2-Octanol 29063-28-3, Octanol, biological studies  
RL: PAC (Pharmacological activity); BIOL (Biological study)  
(general anesthetic octanol and related compds. activate wild-type and delF508 cystic fibrosis chloride channels)

8/7/2007

10/562085

=> d l15 ibib abs hitstr

L15 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 2001:300514 CAPLUS  
DOCUMENT NUMBER: 134:331617  
TITLE: Oil-in-water emulsion compositions for  
polyfunctional active ingredients  
INVENTOR(S): Chen, Feng-jing; Patel, Mahesh V.  
PATENT ASSIGNEE(S): Lipocine, Inc., USA  
SOURCE: PCT Int. Appl., 82 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001028555	A1	20010426	WO 2000-US28835	20001018
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 2002107265	A1	20020808	US 1999-420159	19991018
US 6720001	B2	20040413		

PRIORITY APPLN. INFO.: US 1999-420159 A 19991018

AB Pharmaceutical oil-in-water emulsions for delivery of polyfunctional active ingredients with improved loading capacity, enhanced stability, and reduced irritation and local toxicity are described. Emulsions include an aqueous phase, an oil phase comprising a structured triglyceride, and an emulsifier. The structured triglyceride of the oil phase is substantially free of triglycerides having three medium chain (C6-C12) fatty acid moieties, or a combination of a long chain triglyceride and a polarity-enhancing polarity modifier. The present invention also provides methods of treating an animal with a polyfunctional active ingredient, using dosage forms of the pharmaceutical emulsions. For example, an emulsion was prepared, with cyclosporin A as the polyfunctional active ingredient dissolved in an oil phase including a structured triglyceride (Captex 810D) and a long chain triglyceride (safflower oil). The compn. contained (by weight) cyclosporin A 1.0, Captex 810D 5.0, safflower oil 5.0, BHT 0.02, egg phospholipid 2.4, dimyristoylphosphatidyl glycerol 0.2, glycerol 2.25, EDTA 0.01, and water up to 100%, resp.

IT 111-87-5, Octanol, properties  
RL: PRP (Properties)  
(-water partition; oil-in-water emulsion compns. for polyfunctional active ingredients)

RN 111-87-5 CAPLUS  
CN 1-Octanol (CA INDEX NAME)

HO (CH<sub>2</sub>)<sub>7</sub>-Me

8/7/2007



10/562085

REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

8/7/2007

10/562085

=> d scan

L15 1 ANSWERS CAPLUS COPYRIGHT 2007 ACS on STN  
IC ICM A61K031-355  
ICS A61K031-20  
CC 63-6 (Pharmaceuticals)  
TI Oil-in-water emulsion compositions for polyfunctional active ingredients  
ST glyceride emulsion polyfunctional drug delivery  
IT Vaccines  
(Haemophilus influenzae type B; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Monoglycerides  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(acetates; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Ubiquinones  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(acetyl; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Lung  
Lymphatic system  
Mucous membrane  
(administration by; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Drug delivery systems  
(aerosols; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(almond; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Peptides, biological studies  
Proteins, general, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(amphiphilic; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(animal; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Proteins, specific or class  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(apoproteins; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(babassu; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Natural products, pharmaceutical  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(belladonna; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(borage seed; oil-in-water emulsion compns. for polyfunctional active ingredients)  
IT Drug delivery systems

8/7/2007

(buccal, drops and sprays; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Lipids, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(cationic; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Uterus  
(cervix, drops and sprays for; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Vaccines  
(cholera; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Gonadotropins  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(chorionic; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(currant, Ribes nigrum seed; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Bath preparations  
(douches; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Drug delivery systems  
(elixirs; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(emu; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Drug delivery systems  
(emulsions; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Drug delivery systems  
(enteric; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fatty acids, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(essential; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fatty acids, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(esters, lower alc.; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Corn oil  
Diglycerides  
Fatty acids, biological studies  
Glycerides, biological studies  
Monoglycerides  
Sterols  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(ethoxylated; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(evening primrose; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Alcohols, biological studies  
Amines, biological studies

10/562085

Quaternary ammonium compounds, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(fatty; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(fish; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(gels; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(grape seed; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Mucopolysaccharides, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(heparinoids; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Vaccines  
(hepatitis A, inactivated; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Vaccines  
(hepatitis B, inactivated; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Castor oil  
Coconut oil  
Cottonseed oil  
Palm oil  
Soybean oil  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(hydrogenated; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Vaccines  
(influenza; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(inhalants; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(injections, i.m.; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(injections, i.v.; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(injections; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(liniments; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(lotions; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Vaccines  
(measles; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Osmotic pressure  
(modifiers; oil-in-water emulsion compns. for polyfunctional

8/7/2007

10/562085

active ingredients)  
IT Vaccines  
    (mumps; oil-in-water emulsion compns. for polyfunctional  
    active ingredients)  
IT Fats and Glyceridic oils, biological studies  
    RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
    (mustard; oil-in-water emulsion compns. for polyfunctional  
    active ingredients)  
IT Drug delivery systems  
    (nasal sprays; oil-in-water emulsion compns. for  
    polyfunctional active ingredients)  
IT Drug delivery systems  
    (nasal; oil-in-water emulsion compns. for polyfunctional  
    active ingredients)  
IT Antibacterial agents  
Beverages  
Buffers.  
Chelating agents  
Coloring materials  
Emulsifying agents  
Encapsulation  
Evaporation  
Extrusion, nonbiological  
Filtration  
Flavoring materials  
Freeze drying  
Homogenization  
Melting  
Mixing  
Odor and Odorous substances  
Partition  
Preservatives  
Radiation  
Size reduction  
Solubilization  
Solubilizers  
Solvents  
Sonication  
Spraying  
Sterilization and Disinfection  
Vaccines  
    (oil-in-water emulsion compns. for polyfunctional active  
    ingredients)  
IT Acids, biological studies  
Bases, biological studies  
Bile acids  
Bile salts  
Canola oil  
Carbohydrates, biological studies  
Carotenes, biological studies  
Castor oil  
Ceramides  
Coconut oil  
Corn oil  
Cottonseed oil  
Enkephalins  
Fatty acids, biological studies  
Glycerides, biological studies  
Glycolipids

8/7/2007

Interleukin 2  
 Interleukin 3  
 Linseed oil  
 Lipoproteins  
 Lysophospholipids  
 Monoglycerides  
 Olive oil  
 Palm kernel oil  
 Palm oil  
 Peanut oil  
 Phosphatidic acids  
 Phosphatidylcholines, biological studies  
 Phosphatidylethanolamines, biological studies  
 Phosphatidylglycerols  
 Phosphatidylinositols  
 Phosphatidylserines  
 Phospholipids, biological studies  
 Polymers, biological studies  
 Polyoxyalkylenes, biological studies  
 Rape oil  
 Safflower oil  
 Soybean oil  
 Sphingomyelins  
 Sphingosines  
 Sunflower oil  
 Trace elements, biological studies  
 Tumor necrosis factors  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (oil-in-water emulsion compns. for polyfunctional active ingredients)

- IT Drug delivery systems  
 (ointments, creams; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Drug delivery systems  
 (ophthalmic; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Drug delivery systems  
 (parenterals; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Drug delivery systems  
 (pastes; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Antioxidants  
 (pharmaceutical; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Infection  
 (plague, vaccine against; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Growth factors, animal  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (platelet-derived human; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Vaccines  
 (pneumococcal, polyvalent; oil-in-water emulsion compns. for polyfunctional active ingredients)
- IT Alcohols, biological studies  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (polyhydric; oil-in-water emulsion compns. for polyfunctional active ingredients)

10/562085

IT Fatty acids, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(polyunsatd., triglycerides; oil-in-water emulsion compns.  
for polyfunctional active ingredients)

IT Drug delivery systems  
(rectal; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(sesame; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Fats and Glyceridic oils, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(shark-liver oil; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(solns., nasal; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(solns., ophthalmic; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(solns.; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Phospholipids, biological studies  
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(soya; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(sprays, ophthalmic; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(sublingual; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(suppositories, vaginal; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(suppositories; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Drug delivery systems  
(tinctures; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(topical; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

IT Drug delivery systems  
(transdermal; oil-in-water emulsion compns. for  
polyfunctional active ingredients)

IT Human poliovirus  
(vaccine containing inactivated and live; oil-in-water emulsion  
compns. for polyfunctional active ingredients)

IT Human herpesvirus 3  
Japanese encephalitis virus  
Mycobacterium BCG  
Neisseria meningitidis  
Rabies virus  
Rotavirus  
Salmonella typhi

8/7/2007

Yellow fever virus  
 (vaccine; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Infection  
 (variola, vaccine; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fats and Glyceridic oils, biological studies  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (vegetable, ethoxylated; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fats and Glyceridic oils, biological studies  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (vegetable, hydrogenated; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Fats and Glyceridic oils, biological studies  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (vegetable; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Interferons  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 ( $\alpha$ ; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT Interferons  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 ( $\beta$ ; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT 111-87-5, Octanol, properties  
 RL: PRP (Properties)  
 (-water partition; oil-in-water emulsion compns. for polyfunctional active ingredients)

IT 50-14-6, Ergocalciferol 50-21-5D, Lactic acid, glycerides 50-24-8, Prednisolone 50-28-2, Estradiol, biological studies 50-34-0, Propantheline bromide 50-56-6, Oxytocin, biological studies 50-70-4, Sorbitol, biological studies 51-15-0, Pralidoxime chloride 51-43-4, Epinephrine 51-48-9, L-Thyroxine, biological studies 51-55-8, Atropine, biological studies 51-60-5, Neostigmine methyl sulfate 52-01-7, Spironolactone 52-24-4, Thiotepe 55-98-1, Busulfan 56-81-5; Glycerol, biological studies 57-13-6, Urea, biological studies 57-22-7, Vincristine 57-55-6, Propylene glycol, biological studies 57-55-6D, Propylene glycol, fatty acid esters 57-64-7, Physostigmine salicylate 57-83-0, Progesterone, biological studies 57-88-5, Cholesterol, biological studies 57-88-5D, Cholesterol, fatty acid esters and polyethoxylated 57-94-3, Tubocurarine chloride 59-05-2, Methotrexate 60-31-1, Acetylcholine chloride 62-31-7, Dopamine hydrochloride 63-91-2, Phenylalanine, biological studies 64-17-5, Ethanol, biological studies 65-28-1, Phentolamine mesylate 66-76-2, Dicoumarol 67-20-9, Nitrofurantoin 67-45-8, Furazolidone 67-96-9, Dihydrotachysterol 67-97-0, Cholecalciferol 68-19-9, Vitamin B12 69-65-8, D-Mannitol 70-51-9, Deferoxamine 71-27-2, Suxamethonium chloride 74-89-5, Methanamine, biological studies 76-57-3, Codeine 76-90-4, Mepenzolate bromide 76-99-3, Methadone 77-19-0, Dicyclomine 83-44-3, Deoxycholic acid 87-33-2, Isosorbide dinitrate 89-57-6, Mesalamine 101-26-8, Pyridostigmine bromide 104-31-4, Benzonatate 107-21-1, Ethylene glycol, biological studies 112-80-1, Oleic acid, biological studies 113-15-5, Ergotamine 113-92-8, Chlorpheniramine 114-07-8, Erythromycin 114-80-7, Neostigmine bromide 115-77-5, Pentaerythritol, biological studies 121-44-8, Triethylamine, biological studies 122-32-7, Glyceryl trioleate 125-84-8, Aminogluthethimide 126-07-8, Griseofulvin 129-06-6, Warfarin sodium 131-49-7, Diatrizoate



meglumine 140-64-7, Pentamidine isethionate 147-94-4, Cytarabine 154-21-2, Lincomycin 155-97-5, Pyridostigmine 298-46-4, 5H-Dibenz[b,f]azepine-5-carboxamide 298-57-7, Cinnarizine 298-81-7, Methoxsalen 299-42-3, Ephedrine 300-62-9, Amphetamine 302-79-4, Tretinoin 303-49-1, Clomipramine 321-64-2, Tacrine 359-83-1, Pentazocine 378-44-9, Betamethasone 404-86-4, Capsaicin 437-38-7, Fentanyl 443-48-1, Metronidazole 502-65-8, Lycopene 511-12-6, Dihydroergotamine 520-85-4, Medroxyprogesterone 537-40-6, Glyceryl trilinoleate 541-15-1, Carnitine 595-33-5 596-51-0, Glycopyrrolate 616-91-1, Acetylcysteine 665-66-7, Amantadine hydrochloride 737-31-5, Diatrizoate sodium 865-21-4, Vinblastin 911-45-5, Clomiphene 1115-70-4, Metformin hydrochloride 1134-47-0, Baclofen 1264-72-8, Colistin sulfate 1319-82-0, Aminocaproic acid 1397-89-3, Amphotericin B 1403-66-3, Gentamycin 1404-90-6, Vancomycin 1405-20-5, Polymixin B sulfate 1405-37-4, Capreomycin sulfate 1405-87-4, Bacitracin 1406-16-2, Vitamin D 1406-18-4, Vitamin E 1492-18-8, Leucovorin calcium 1501-84-4, Rimantadine hydrochloride 1684-40-8, Tacrine hydrochloride 1695-77-8, Spectinomycin 1951-25-3, Amiodarone 1972-08-3, Tetrahydrocannabinol 2016-88-8, Amiloride hydrochloride 3056-17-5, Stavudine 3485-62-9, Clidinium bromide 3778-73-2, Isofosfamide 3930-20-9, Sotalol 4291-63-8, Cladribine 4419-39-0, Beclomethasone 4759-48-2, Isotretinoin 5104-49-4, Flurbiprofen 5534-95-2, Pentagastrin 6493-05-6, Pentoxifylline 6990-06-3, Fusidic acid 7261-97-4, Dantrolene 7414-83-7, Etidronate disodium 7481-89-2, Zalcitabine 7648-98-8, Ambenonium 7689-03-4, Camptothecin 8068-28-8, Colistimethate sodium 9001-28-9, Factor IX 9002-01-1, Streptokinase 9002-60-2, Corticotropin, biological studies 9004-17-5, NPH insulin 9005-07-6, PEG 400 dioleate 9005-63-4D, fatty acid esters 9007-48-1, Plurol Oleique CC497 9007-92-5, Glucagon, biological studies 9015-68-3, Asparaginase 9034-40-6, Gonadotropin releasing hormone 9039-53-6, Urokinase 9041-08-1, Dalteparin sodium 9041-93-4, Bleomycin sulfate 9087-70-1, Aprotinin 10238-21-8, Glyburide 10540-29-1, Tamoxifen 10596-23-3, Clodronic acid 11000-17-2, Vasopressin 11061-68-0, Human insulin 11103-57-4, Vitamin A 11140-04-8, Imwitor 988 12001-79-5, Vitamin K 12584-58-6, Insulin porcine 12619-70-4, Cyclodextrin 12629-01-5, Human growth hormone 13265-10-6, Methscopolamine 14465-68-0, Glyceryl trilinolenate 15307-86-5, Diclofenac 15500-66-0, Pancuronium bromide 15574-96-6, Pizotifen 15663-27-1, Cisplatin 15686-51-8, Clemastine 15686-71-2, Cephalixin 15687-27-1, Ibuprofen 15826-37-6, Cromolyn sodium 16679-58-6, Desmopressin 16960-16-0, Cosyntropin 17230-88-5, Danazol 18323-44-9, Clindamycin 18559-94-9, Albuterol 18883-66-4, Streptozocin 19356-17-3, Calcifediol 20537-88-6, Amifostine 20594-83-6, Nalbuphine 20830-75-5, Digoxin 21215-62-3, Human calcitonin 21256-18-8, Oxaprozin 21679-14-1, Fludarabine 21829-25-4, Nifedipine 22254-24-6, Ipratropium bromide 22916-47-8, Miconazole 23031-32-5, Terbutaline sulfate 23214-92-8, Doxorubicin 23288-49-5, Probuco 24356-60-3, Cephapirin sodium 25126-32-3, Sincalide 25322-68-3, Polyethylene glycol 25322-69-4, Polypropylene glycol 25523-97-1, Dexchlorpheniramine 25618-55-7, Polyglycerol 25812-30-0, Gemfibrozil 26839-75-8, Timolol 27164-46-1, Cefazolin sodium 27203-92-5, Tramadol 29094-61-9, Glipizide 29122-68-7, Atenolol 29767-20-2, Teniposide 30516-87-1, Zidovudine 32222-06-3, Calcitriol 33069-62-4, Paclitaxel 33419-42-0, Etoposide 33515-09-2, Gonadorelin 33564-30-6, Cefoxitin sodium 34787-01-4, Ticarcillin 34911-55-2, Bupropion 36791-04-5, Ribavirin 37220-82-9, Peceol 37321-62-3, Lauroglycol FCC 38304-91-5, Minoxidil 39809-25-1, Penciclovir 41340-25-4, Etodolac 41575-94-4, Carboplatin 42057-22-7, Mezlocillin sodium 42540-40-9, Cefamandole nafate 42924-53-8, Nabumetone 43200-80-2, Zopiclone 47931-85-1, Calcitonin

salmon 49562-28-9, Fenofibrate 49697-38-3, Rimexolone 50700-72-6,  
 Vecuronium bromide 51110-01-1, Somatostatin 51322-75-9, Tizanidine  
 51333-22-3, Budesonide 51384-51-1, Metoprolol 51481-61-9, Cimetidine  
 53123-88-9, Sirolimus 53179-11-6, Loperamide 53230-10-7, Mefloquine  
 53910-25-1, Pentostatin 54063-53-5, Propafenone 54910-89-3, Fluoxetine  
 54965-21-8, Albendazole 55079-83-9, Acitretin 55142-85-3, Ticlopidine  
 56180-94-0, Acarbose 57248-88-1, Pamidronate disodium 59277-89-3,  
 Acyclovir 59467-70-8, Midazolam 59703-84-3, Piperacillin sodium  
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (oil-in-water emulsion compns. for polyfunctional active  
 ingredients)

IT 59865-13-3, Cyclosporin A 60142-96-3, Gabapentin 61270-78-8, Cefonicid  
 sodium 61361-72-6, Dimyristoylphosphatidyl glycerol 61379-65-5,  
 Rifapentine 61489-71-2, Menotropin 61869-08-7, Paroxetine  
 62013-04-1, Dirithromycin 62356-64-3 62893-19-0, Cefoperazone  
 63527-52-6, Cefotaxime 63585-09-1, Foscarnet sodium 63590-64-7,  
 Terazosin 63612-50-0, Nilutamide 63675-72-9, Nisoldipine 64228-81-5,  
 Atracurium besylate 64544-07-6, Cefuroxime axetil 65271-80-9,  
 Mitoxantrone 65277-42-1, Ketoconazole 66376-36-1, Alendronate  
 66419-50-9, Bovine growth hormone 68099-86-5, Bepridil hydrochloride  
 68401-81-0, Ceftizoxime 68506-86-5, Vigabatrin 69049-74-7, Nedocromil  
 sodium 69655-05-6, Didanosine 69756-53-2, Halofantrine 70288-86-7,  
 Ivermectin 70458-92-3, Pefloxacin 70458-96-7, Norfloxacin  
 71486-22-1, Vinorelbine 72432-03-2, Miglitol 72559-06-9, Rifabutine  
 73384-59-5, Ceftriaxone 73590-58-6, Omeprazole 73963-72-1, Cilostazol  
 74011-58-8, Enoxacin 74103-06-3, Ketorolac 74356-00-6, Cefotetan  
 disodium 74381-53-6, Leuprolide acetate 75706-12-6, Leflunomide  
 76420-72-9, Enalaprilat 76470-66-1, Loracarbef 76547-98-3, Lisinopril  
 76824-35-6, Famotidine 76963-41-2, Nizatidine 78110-38-0, Aztreonam  
 79350-37-1, Cefixime 79517-01-4, Octreotide acetate 79617-96-2,  
 Sertraline 79794-75-5, Loratadine 79902-63-9, Simvastatin  
 81093-37-0, Pravastatin 81098-60-4, Cisapride 81103-11-9,  
 Clarithromycin 81161-17-3, Esmolol hydrochloride 82410-32-0,  
 Ganciclovir 82419-36-1, Ofloxacin 82626-48-0, Zolpidem 82952-64-5,  
 Trimetrexate glucuronate 83799-24-0, Fexofenadine 83869-56-1,  
 Granulocyte-macrophage colony stimulating factor 83881-51-0, Cetirizine  
 83905-01-5, Azithromycin 84057-84-1, Lamotrigine 84371-65-3,  
 Mifepristone 84449-90-1, Raloxifene 84625-61-6, Itraconazole  
 85721-33-1, Ciprofloxacin 86386-73-4, Fluconazole 86541-75-5,  
 Benazepril 87679-37-6, Trandolapril 88669-04-9, Trospectomycin  
 89778-26-7, Toremfene 89987-06-4, Tiludronate 90357-06-5,  
 Bicalutamide 91161-71-6, Terbinafine 93390-81-9, Fosphenytoin  
 93413-69-5, Venlafaxine 93479-97-1, Glimepiride 93957-54-1,  
 Fluvastatin 94749-08-3, Salmeterol xinafoate 95233-18-4, Atovaquone  
 97240-79-4, Topiramate 97322-87-7, Troglitazone 97682-44-5, Irinotecan  
 98079-51-7, Lomefloxacin 98319-26-7, Finasteride 100986-85-4,  
 Levofloxacin 101828-21-1, Butenafine 103577-45-3, Lansoprazole  
 103628-46-2, Sumatriptan 104227-87-4, Famciclovir 104987-11-3,  
 Tacrolimus 105462-24-6, Risedronic acid 106133-20-4, Tamsulosin  
 106650-56-0, Sibutramine 106819-53-8, Doxacurium chloride 106861-44-3,  
 Mivacurium chloride 107648-80-6, Cefepime hydrochloride 107753-78-6,  
 Zafirlukast 110871-86-8, Sparfloxacin 111025-46-8, Pioglitazone  
 111406-87-2, Zileuton 112965-21-6, Calcipotriene 113189-02-9,  
 Antihemophilic factor 113665-84-2, Clopidogrel 113852-37-2, Cidofovir  
 115103-54-3, Tiagabine 116094-23-6, Insulin aspart 117976-89-3,  
 Rabeprazole 118072-93-8, Zoledronate 118292-40-3, Tazarotene  
 119914-60-2, Grepafloxacin 120014-06-4, Donepezil 121368-58-9,  
 Olpadronate 121679-13-8, Naratriptan 122320-73-4, Rosiglitazone  
 123948-87-8, Topotecan 124832-26-4, Valaciclovir 127759-89-1,

10/562085

Lobucavir 127779-20-8, Saquinavir 129497-78-5, Verteporfin  
131918-61-1, Paricalcitol 133040-01-4, Eprosartan 133107-64-9, Insulin  
lispro 134523-00-5, Atorvastatin 134678-17-4, Lamivudine  
135062-02-1, Repaglinide 137862-53-4, Valsartan 138402-11-6,  
Irbesartan 139110-80-8, Zanamivir 139264-17-8, Zolmitriptan  
139481-59-7, Candesartan 139639-23-9, Tissue type plasminogen activator  
143003-46-7, Alglucerase 143011-72-7, Granulocyte colony stimulating  
factor 144034-80-0, Rizatriptan 144494-65-5, Tirofiban 144701-48-4,  
Telmisartan 145599-86-6, Cerivastatin 145941-26-0, Oprelvekin  
146961-76-4, Alatrofloxacin 147059-72-1, Trovafloxacin 148553-50-8,  
Pregabalin 151126-32-8, Pramlintide 153559-49-0, Targretin  
154361-50-9, Capecitabine 154598-52-4, Efavirenz 155213-67-5,  
Ritonavir 156259-68-6, Capmul MCM 157810-81-6, Indinavir sulfate  
158747-02-5, Frovatriptan 158966-92-8, Montelukast 159989-64-7,  
Nelfinavir 160337-95-1, Insulin glargine 162011-90-7, Rofecoxib  
165101-51-9, Becaplermin 169148-63-4, Insulin detemir 169590-42-5,  
Celecoxib 173146-27-5, Denileukin diftitox 191588-94-0, TNK-tPA  
208666-87-9, Captex 810D

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(oil-in-water emulsion compns. for polyfunctional active  
ingredients)

IT 9003-98-9, Dornase 11096-26-7, Epoetin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
( $\alpha$ ; oil-in-water emulsion compns. for polyfunctional  
active ingredients)

8/7/2007